



BOR®

FUSE LINK



FİYAT LİSTESİ

Low-Voltage Fuses
Fuse links

Low-Voltage Fuses
Fuse links

Low-Voltage Fuses
Fuse links

Low-Voltage Fuses
Fuse links

Low-Voltage Fuses
Fuse links

Low-Voltage Fuses
Fuse links

Low-Voltage Fuses
Fuse Bases

LV Fuse Assembly Products
Fuse Disconnecting Switches

ST-type phase leg IGBT module



SISD0450ST120i20 450A 1200V

SISD0600ST120i20 600A 1200V

SISD0800ST120i20 800A 1200V



Çalışma
Sıcaklığı: 175°C



ED-type phase leg IGBT module



SISD0450ED120i20 450A 1200V

SISD0600ED120i20 600A 1200V

SISD0750ED120i20 750A 1200V



Çalışma
Sıcaklığı: 175°C



Yenilenebilir Enerji

Güneş ve rüzgar gibi doğal kaynaklardan elde edilen elektrik zamanla değişiklik gösterir ve doğrudan elektrik şebekesine beslenemez. IGBT'lerimiz güç dönüşümünün kalbinde yer alır ve elektriği şebekeye beslenebilmesi için doğru biçime ve kararlılığa dönüştürür.

Endüstri

Elektrik motorları vantilatörler, teleferikler ve kağıt işleme makineleri gibi çeşitli endüstriyel uygulamaları çalıştırır. Bu tür uygulamalar değişken hız ve güç çıkışına sahip motorlar gerektirir. IGBT güç yarı iletkenlerimizle, elektriğin güç akışı ve şekli neredeyse kayıpsız kontrol edilebilir ve önceki yöntemlere (kayıplı mekanik kısma gibi) kıyasla %30'a kadar enerji tasarrufu sağlanabilir.



Elektrikli Araçlar

Daha Yeşil Ulaşım, fosil yakıtlardan daha sürdürülebilir kaynaklara geçişi gerektirir. Elektrik yenilenebilir enerjiyle üretilebiliyor ve pillerde ya da hidrojen olarak depolanabiliyor. Arabalar, otobüsler, kamyonlar ve trenler ya katenerler aracılığıyla doğrudan elektrikle ya da araçta depolanan enerjiyle (pillerden veya hidrojen kaynaklı) güç alır. IGBT yarı iletkenlerimiz araçların elektrik motorlarını %95'in çok üzerinde bir dönüşüm verimliliğiyle çalıştırır.

HEEV-type 1.2kV 2mOhm rdson phase-leg
SiC module


HEEV phase leg SiC
(Silikon Karbür)
modül



$V_{DS} = 1200 V$
 $R_{DS(on)} = 2.1 m\Omega$
SCSD002HEEV120MS

EVD-Type three-phase
1.2kV SiC modül

Son nesil SiC
(Silikon Karbür)
MOSFET çipleri
 $T_{vj_op} = 175^\circ C$



$I_D = 600 A$
 $V_{DS} = 1200 V$
 $R_{DS(on)} = 2.1 m\Omega$
SCSS002EVD120MS

TRİSTÖR / TRİSTÖR - İZOLELİ GÜÇ MODÜLLERİ

1800V - 2200V

POWER MODULES

TYPE	IATV (A)	°C	VRRM(V)	CASE	B.Fiyat
HKKT 105/22E	105A	85	2200V	ADD A.PAK	55 \$
HKKT 136/22E	135A	85	2200V	INT A.PAK	97 \$
HKKT 162/22E	162A	85	2200V	INT A.PAK	110 \$
HKKT 250/22E	250A	85	2200V	MAGN A.PAK	185 \$
HKKT 320/22E	320A	85	2200V	MAGN A.PAK	200 \$
HKKT 330/22E	330A	85	2200V	MAGN A.PAK	240 \$
HKKT 500/22	500A	85	2200V	MEGA A.PAK	350 \$
HKKT 570/18	570A	85	1800V	MEGA A.PAK	380 \$
HKKT 800/22	800A	85	2200V	SUPER MEGA A.PAK	570 \$



TRİSTÖR/DİYOT-İZOLELİ GÜÇ MODÜLLERİ

TYPE	IATV (A)	°C	VRRM(V)	CASE	B.Fiyat
HKKH 105/22E	105A	85	2200V	ADD A.PAK	55 \$
HKKH 162/22E	162A	85	2200V	INT A.PAK	97 \$



VİDALI KAMÇILI DİYOTLAR

1000V - 1200V

TYPE	IATV (A)	°C	VRRM(V)	CASE	B.Fiyat
ZP 150UR 100	150A	125	1000V	DO-203 A A (DO-8) VİD.KAM.	30 \$
ZP 150U 100	150A	125	1000V	DO-203 A B (DO-8) VİD.KAM.	30 \$
ZP 400UR 120	400A	125	1200V	DO-205 A B (DO-9) VİD.KAM	55\$
ZP 400U 120	400A	125	1200V	DO-205 A B (DO-9) VİD.KAM	55 \$



DİYOTLAR (DİSK TİPİ)

2000V

TYPE	IATV (A)	°C	VRRM(V)	CASE	B.Fiyat
HD1100A25	1400A	55	2000V	B-43 (E.PUK)	97 \$



DİYOTLAR (VİDALI TİP)

1200V

TYPE	IATV (A)	°C	VRRM(V)	CASE	B.Fiyat
40 HF 120	40A	140	1200V	DO-203 A B (DO-5) VİDALI	6 \$
40 HFR 120	40A	140	1200V	DO-203 A B (DO-5) VİDALI	6 \$
70 HF 120	70A	140	1200V	DO-203 A B (DO-5) VİDALI	7 \$
70 HFR 120	70A	140	1200V	DO-203 A B (DO-5) VİDALI	7 \$



TRİFAZE KÖPRÜ DİYOTLAR

1600V

TYPE	IATV (A)	°C	VRRM(V)	CASE	B.Fiyat
H36MT 160	36A	60	1600V	D.63	9 \$
H36MB 160	36A	60	1600V	D.63	9 \$



MONOFAZE KÖPRÜ DİYOTLAR

1600V

TYPE	IATV (A)	°C	VRRM(V)	CASE	B.Fiyat
HBPC3512A	36A	60	1600V	D.34	4,50 \$

B.Fiyat



ÇAKMA DİYOTLAR

1200V

TYPE	IATV (A)	VRRM(V)	B.Fiyat
ANOT	60A	1200V	3 \$
KATOT	60A	1200V	3 \$




FUSE LINK

MRO BOR

(D01) gG (Neozed) Sigortalar


Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RO26 400V 2A gG	D01	400V	2A	0,90 USD
RO26 400V 4A gG	D01	400V	4A	0,90 USD
RO26 400V 6A gG	D01	400V	6A	0,90 USD
RO26 400V 10A gG	D01	400V	10A	0,90 USD
RO26 400V 16A gG	D01	400V	16A	0,90 USD



MRO BOR

(D02) gG (Neozed) Sigortalar


Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RO26 400V 20A gG	D02	400V	20A	1,20 USD
RO26 400V 25A gG	D02	400V	25A	1,20 USD
RO26 400V 35A gG	D02	400V	35A	1,20 USD
RO26 400V 50A gG	D02	400V	50A	1,20 USD
RO26 400V 63A gG	D02	400V	63A	1,20 USD



MRO BOR

(D01) aR (Neozed) Sigortalar (Hızlı Tip)


Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS26 400V 2A aR	D01	400V	2A	4,50 USD
RS26 400V 4A aR	D01	400V	4A	4,50 USD
RS26 400V 6A aR	D01	400V	6A	4,50 USD
RS26 400V 10A aR	D01	400V	10A	4,50 USD
RS26 400V 16A aR	D01	400V	16A	4,50 USD



MRO BOR

(D02) aR (Neozed) Sigortalar (Hızlı Tip)


Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS26 400V 20A aR	D02	400V	20A	5,00 USD
RS26 400V 25A aR	D02	400V	25A	5,00 USD
RS26 400V 35A aR	D02	400V	35A	5,00 USD
RS26 400V 50A aR	D02	400V	50A	5,00 USD
RS26 400V 63A aR	D02	400V	63A	5,00 USD



MRO BOR

(DII) gG (Diazed) Sigortalar (RO21)


Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RL6-25 500V 2A gG	DII	500V	2A	1,40 USD
RL6-25 500V 4A gG	DII	500V	4A	1,40 USD
RL6-25 500V 6A gG	DII	500V	6A	1,40 USD
RL6-25 500V 10A gG	DII	500V	10A	1,40 USD
RL6-25 500V 16A gG	DII	500V	16A	1,40 USD
RL6-25 500V 20A gG	DII	500V	20A	1,40 USD
RL6-25 500V 25A gG	DII	500V	25A	1,40 USD



MRO BOR

(DIII) gG (Diazed) Sigortalar (RO22)


Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RL6-63 500V 35A gG	DIII	500V	35A	2,00 USD
RL6-63 500V 50A gG	DIII	500V	50A	2,00 USD
RL6-63 500V 63A gG	DIII	500V	63A	2,00 USD



MRO BOR

(DIII) aR (Diazed) Sigortalar (RS22)

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RL6-63 500V 35A gG aR	DIII	500V	35A	9,50 USD
RL6-63 500V 50A gG aR	DIII	500V	50A	9,50 USD
RL6-63 500V 63A gG aR	DIII	500V	63A	9,50 USD




MRO BOR

8x32 gG Gecikmeli/Silindirik Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RO14 500V 1A gG	8x32	500V	1A	1,00 USD
RO14 500V 2A gG	8x32	500V	2A	1,00 USD
RO14 500V 4A gG	8x32	500V	4A	1,00 USD
RO14 500V 6A gG	8x32	500V	6A	1,00 USD
RO14 500V 8A gG	8x32	500V	8A	1,00 USD
RO14 500V 10A gG	8x32	500V	10A	1,00 USD
RO14 500V 12A gG	8x32	500V	12A	1,00 USD
RO14 500V 16A gG	8x32	500V	16A	1,00 USD
RO14 500V 20A gG	8x32	500V	20A	1,00 USD




Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RO15 500V 0,5A gG	10x38	500V	0,5A	2,00 USD
RO15 500V 1A gG	10x38	500V	1A	0,85 USD
RO15 500V 2A gG	10x38	500V	2A	0,85 USD
RO15 500V 4A gG	10x38	500V	4A	0,85 USD
RO15 500V 6A gG	10x38	500V	6A	0,85 USD
RO15 500V 8A gG	10x38	500V	8A	0,85 USD
RO15 500V 10A gG	10x38	500V	10A	0,85 USD
RO15 500V 12A gG	10x38	500V	12A	0,85 USD
RO15 500V 16A gG	10x38	500V	16A	0,85 USD
RO15 500V 20A gG	10x38	500V	20A	0,85 USD
RO15 500V 25A gG	10x38	500V	25A	0,85 USD
RO15 500V 32A gG	10x38	500V	32A	0,85 USD




Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RO15 500V 2A aM	10x38	500V	2A	1,00 USD
RO15 500V 4A aM	10x38	500V	4A	1,00 USD
RO15 500V 6A aM	10x38	500V	6A	1,00 USD
RO15 500V 8A aM	10x38	500V	8A	1,00 USD
RO15 500V 10A aM	10x38	500V	10A	1,00 USD
RO15 500V 12A aM	10x38	500V	12A	1,00 USD
RO15 500V 16A aM	10x38	500V	16A	1,00 USD
RO15 500V 20A aM	10x38	500V	20A	1,00 USD
RO15 500V 25A aM	10x38	500V	25A	1,00 USD
RO15 500V 32A aM	10x38	500V	32A	1,00 USD




Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RO16 500V 2A gG	14x51	500V	2A	2,50 USD
RO16 500V 4A gG	14x51	500V	4A	2,50 USD
RO16 500V 6A gG	14x51	500V	6A	2,50 USD
RO16 500V 8A gG	14x51	500V	8A	2,50 USD
RO16 500V 10A gG	14x51	500V	10A	2,50 USD
RO16 690V 16A gG	14x51	690V	16A	2,50 USD
RO16 690V 20A gG	14x51	690V	20A	2,50 USD
RO16 690V 25A gG	14x51	690V	25A	2,50 USD
RO16 690V 32A gG	14x51	690V	32A	2,50 USD
RO16 500V 40A gG	14x51	500V	40A	2,50 USD
RO16 400V 50A gG	14x51	400V	50A	2,50 USD
RO16 500V 63A gG	14x51	500V	63A	4,50 USD




Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RO17 500V 2A	22x58	500V	2A	4,50 USD
RO17 500V 4A	22x58	500V	4A	4,50 USD
RO17 500V 6A	22x58	500V	6A	4,50 USD
RO17 500V 8A	22x58	500V	8A	4,50 USD
RO17 500V 10A	22x58	500V	10A	4,50 USD
RO17 500V 12A	22x58	500V	12A	4,50 USD
RO17 500V 16A	22x58	500V	16A	4,50 USD
RO17 500V 20A	22x58	500V	20A	3,00 USD
RO17 500V 25A	22x58	500V	25A	3,00 USD
RO17 500V 32A	22x58	500V	32A	3,00 USD
RO17 500V 40A	22x58	500V	40A	3,00 USD
RO17 500V 50A	22x58	500V	50A	3,00 USD
RO17 500V 63A	22x58	500V	63A	3,00 USD
RO17 500V 80A	22x58	500V	80A	3,00 USD
RO17 500V 100A	22x58	500V	100A	3,00 USD
RO17 500V 125A	22x58	500V	125A	3,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS15 690V 1A aR	10x38	690V	1A	3,00 USD
RS15 690V 2A aR	10x38	690V	2A	3,00 USD
RS15 690V 3A aR	10x38	690V	3A	3,00 USD
RS15 690V 4A aR	10x38	690V	4A	3,00 USD
RS15 690V 5A aR	10x38	690V	5A	3,00 USD
RS15 690V 6A aR	10x38	690V	6A	3,00 USD
RS15 690V 8A aR	10x38	690V	8A	3,00 USD
RS15 690V 10A aR	10x38	690V	10A	3,00 USD
RS15 690V 12A aR	10x38	690V	12A	3,00 USD
RS15 690V 16A aR	10x38	690V	16A	3,00 USD
RS15 690V 20A aR	10x38	690V	20A	3,00 USD
RS15 690V 25A aR	10x38	690V	25A	3,00 USD
RS15 690V 30A aR	10x38	690V	30A	3,00 USD
RS15 690V 32A aR	10x38	690V	32A	3,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS16 690V 2A aR	14x51	690V	2A	6,00 USD
RS16 690V 4A aR	14x51	690V	4A	6,00 USD
RS16 690V 6A aR	14x51	690V	6A	6,00 USD
RS16 690V 8A aR	14x51	690V	8A	6,00 USD
RS16 690V 10A aR	14x51	690V	10A	6,00 USD
RS16 690V 16A aR	14x51	690V	16A	6,00 USD
RS16 690V 20A aR	14x51	690V	20A	6,00 USD
RS16 690V 25A aR	14x51	690V	25A	6,00 USD
RS16 690V 32A aR	14x51	690V	32A	6,00 USD
RS16 690V 40A aR	14x51	690V	40A	6,00 USD
RS16 690V 50A aR	14x51	690V	50A	6,00 USD
RS16 690V 63A aR	14x51	690V	63A	10,00 USD




14x51 mm aR Hızlı İndikatörlü Silindirik Porselen Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS16Z 690V 8A aR	14x51mm İndikatörlü	690V	8A	10,00 USD
RS16Z 690V 16A aR	14x51mm İndikatörlü	690V	16A	10,00 USD
RS16Z 690V 20A aR	14x51mm İndikatörlü	690V	20A	10,00 USD
RS16Z 690V 25A aR	14x51mm İndikatörlü	690V	25A	10,00 USD
RS16Z 690V 32A aR	14x51mm İndikatörlü	690V	32A	10,00 USD
RS16Z 690V 40A aR	14x51mm İndikatörlü	690V	40A	10,00 USD
RS16Z 690V 50A aR	14x51mm İndikatörlü	690V	50A	10,00 USD




22x58 mm Hızlı aR İndikatörlü Silindirik Porselen Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS17Z 690V 10A aR	22x58 İndikatörlü	690V	10A	12,00 USD
RS17Z 690V 16A aR	22x58 İndikatörlü	690V	16A	12,00 USD
RS17Z 690V 20A aR	22x58 İndikatörlü	690V	20A	12,00 USD
RS17Z 690V 25A aR	22x58 İndikatörlü	690V	25A	12,00 USD
RS17Z 690V 32A aR	22x58 İndikatörlü	690V	32A	12,00 USD
RS17Z 690V 40A aR	22x58 İndikatörlü	690V	40A	12,00 USD
RS17Z 690V 50A aR	22x58 İndikatörlü	690V	50A	12,00 USD
RS17Z 690V 63A aR	22x58 İndikatörlü	690V	63A	12,00 USD
RS17Z 690V 80A aR	22x58 İndikatörlü	690V	80A	12,00 USD
RS17Z 690V 100A aR	22x58 İndikatörlü	690V	100A	12,00 USD
RS17Z 690V 125A aR	22x58 İndikatörlü	690V	125A	15,00 USD



27x60 mm Hızlı aR İndikatörlü Silindirik Porselen Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS12Z 690V 6A aR	27x60/6	690V	6A	25,00 USD
RS12Z 690V 8A aR	27x60/8	690V	8A	25,00 USD
RS12Z 690V 10A aR	27x60/10	690V	10A	25,00 USD
RS12Z 690V 12A aR	27x60/12	690V	12A	25,00 USD
RS12Z 690V 16A aR	27x60/16	690V	16A	25,00 USD
RS12Z 690V 20A aR	27x60/20	690V	20A	25,00 USD
RS12Z 690V 25A aR	27x60/25	690V	25A	25,00 USD
RS12Z 690V 32A aR	27x60/32	690V	32A	25,00 USD
RS12Z 690V 40A aR	27x60/40	690V	40A	25,00 USD
RS12Z 690V 50A aR	27x60/50	690V	50A	25,00 USD
RS12Z 690V 63A aR	27x60/63	690V	63A	25,00 USD
RS12Z 690V 80A aR	27x60/80	690V	80A	25,00 USD
RS12Z 690V 100A aR	27x60/100	690V	100A	30,00 USD
RS12Z 690V 125A aR	27x60/125	690V	125A	30,00 USD
RS12Z 690V 160A aR	27x60/160	690V	160A	30,00 USD
RS12Z 690V 200A aR	27x60/200	690V	200A	30,00 USD
RS12Z 690V 250A aR	27x60/250	690V	250A	30,00 USD



(DC) 27x60 mm aR indikatörlü Silindirik Porselen Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS12ZVDC 660V 12A aR	27x60 mm İndikatörlü	660VDC	12A	70,00 USD
RS12ZVDC 660V 16A aR	27x60 mm İndikatörlü	660VDC	16A	70,00 USD
RS12ZVDC 660V 20A aR	27x60 mm İndikatörlü	660VDC	20A	70,00 USD
RS12ZVDC 660V 25A aR	27x60 mm İndikatörlü	660VDC	25A	70,00 USD
RS12ZVDC 660V 50A aR	27x60 mm İndikatörlü	660VDC	50A	70,00 USD



20x127mm AR 1000VDC İndikatörlü Silindirik Porselen Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS19ZDC 1500VDC 2A aR	20x127/2	1500V DC	2A	165,00 USD
RS19ZDC 1000VDC 2A aR	20x127/2	1000V DC	2A	165,00 USD
RS19ZDC 1000VDC 16A aR	20x127/16	1000V DC	16A	125,00 USD
RS19ZDC 1000VDC 20A aR	20x127/20	1000V DC	20A	125,00 USD
RS19ZDC 1000VDC 25A aR	20x127/25	1000V DC	25A	125,00 USD
RS19ZDC 1000VDC 32A aR	20x127/32	1000V DC	32A	125,00 USD
RS19ZDC 1000VDC 40A aR	20x127/40	1000V DC	40A	180,00 USD
RS19ZDC 1000VDC 50A aR	20x127/50	1000V DC	50A	225,00 USD



20x127 mm

Teslimat Süreli


20x127 mm aR indikatörlü Silindirik Porselen Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS19Z 1500V 2A aR	20x127/2	1500V AC	2A	65,00 USD
RS19Z 1500V 16A aR	20x127/16	1500V AC	16A	30,00 USD
RS19Z 1500V 20A aR	20x127/20	1500V AC	20A	30,00 USD
RS19Z 1500V 25A aR	20x127/25	1500V AC	25A	30,00 USD
RS19Z 1500V 32A aR	20x127/32	1500V AC	32A	30,00 USD
RS19Z 1500V 40A aR	20x127/40	1500V AC	40A	65,00 USD
RS19Z 1500V 50A aR	20x127/50	1500V AC	50A	85,00 USD




20x127 mm


Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RGS11 250V 25A aR	17/25	250V	25A	9,00 USD
RGS11 250V 35A aR	17/35	250V	35A	9,00 USD
RGS11 250V 50A aR	17/50	250V	50A	9,00 USD
RGS11 250V 63A aR	17/63	250V	63A	9,00 USD
RGS11 250V 80A aR	17/80	250V	80A	9,00 USD
RGS11 250V 100A aR	17/100	250V	100A	9,00 USD
RGS11 250V 125A aR	21/125	250V	125A	15,00 USD
RGS11 250V 140A aR	21/140	250V	140A	15,00 USD
RGS11 250V 160A aR	21/160	250V	160A	15,00 USD
RGS11 250V 180A aR	21/180	250V	180A	15,00 USD




Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RGS12 500V 135A aR	31.5/27	500V	135A	32,00 USD
RGS4A 690V 125A aR	25/125	690V	125A	35,00 USD
RGS4A 690V 160A aR	25/160	690V	160A	50,00 USD
RGS4A 690V 180A aR	25/180	690V	180A	55,00 USD
RGS4A 690V 200A aR	25/200	690V	200A	55,00 USD




Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RGS4 690V 20A aR	17/20	690V	20A	9,00 USD
RGS4 690V 25A aR	17/25	690V	25A	9,00 USD
RGS4 690V 35A aR	17/35	690V	35A	9,00 USD
RGS4 690V 40A aR	17/40	690V	40A	9,00 USD
RGS4 690V 45A aR	17/45	690V	45A	9,00 USD
RGS4 690V 50A aR	17/50	690V	50A	9,00 USD
RGS4 690V 63A aR	17/63	690V	63A	9,00 USD
RGS4 690V 80A aR	17/80	690V	80A	9,00 USD
RGS4 690V 100A aR	17/100	690V	100A	9,00 USD




Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RGS44 690V 110A aR	217/110	690V	110A	15,00 USD
RGS44 690V 140A aR	217/140	690V	140A	15,00 USD
RGS44 690V 160A aR	217/160	690V	160A	15,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS30C 690V 16A aR	NH000 C	690V	16A	15,00 USD
RS30C 690V 20A aR	NH000 C	690V	20A	15,00 USD
RS30C 690V 25A aR	NH000 C	690V	25A	15,00 USD
RS30C 690V 32A aR	NH000 C	690V	32A	15,00 USD
RS30C 690V 40A aR	NH000 C	690V	40A	15,00 USD
RS30C 690V 50A aR	NH000 C	690V	50A	15,00 USD
RS30C 690V 63A aR	NH000 C	690V	63A	15,00 USD
RS30C 690V 80A aR	NH000 C	690V	80A	15,00 USD
RS30C 690V 100A aR	NH000 C	690V	100A	15,00 USD
RS30C 690V 125A aR	NH000 C	690V	125A	15,00 USD
RS30C 690V 160A aR	NH000 C	690V	160A	15,00 USD
RS30C 690V 200A aR	NH000 C	690V	200A	17,00 USD
RS30C 690V 250A aR	NH000 C	690V	250A	17,00 USD
RS30C 690V 315A aR	NH000 C	690V	315A	17,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS31 690V 20A aR	NH00	690V	20A	15,00 USD
RS31 690V 25A aR	NH00	690V	25A	15,00 USD
RS31 690V 32A aR	NH00	690V	32A	15,00 USD
RS31 690V 40A aR	NH00	690V	40A	15,00 USD
RS31 690V 50A aR	NH00	690V	50A	15,00 USD
RS31 690V 63A aR	NH00	690V	63A	15,00 USD
RS31 690V 80A aR	NH00	690V	80A	15,00 USD
RS31 690V 100A aR	NH00	690V	100A	15,00 USD
RS31 690V 125A aR	NH00	690V	125A	15,00 USD
RS31 690V 160A aR	NH00	690V	160A	15,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS32 690V 100A aR	NH1	690V	100A	23,00 USD
RS32 690V 125A aR	NH1	690V	125A	23,00 USD
RS32 690V 160A aR	NH1	690V	160A	23,00 USD
RS32 690V 200A aR	NH1	690V	200A	23,00 USD
RS32 690V 250A aR	NH1	690V	250A	23,00 USD
RS32 690V 315A aR	NH1	690V	315A	36,00 USD
RS32 690V 350A aR	NH1	690V	350A	36,00 USD
RS32 690V 400A aR	NH1	690V	400A	36,00 USD



Table 4 (cont.)

Car.	Models	Cross reference	Rated voltage	Rated current	Dimensions (mm)	Weight
No.	MRO	güçlendirici aR/fuse	(V)	(A)	Size Fig. A B C D H	(g)
0400	NH1	RS32	690	100	32-250 1 4,3 130 67 20 48	58,5
0400	NH1	RS32	690	125	32-250 1 4,3 130 67 20 48	58,5
0400	NH1	RS32	690	160	32-250 1 4,3 130 67 20 48	58,5
0400	NH1	RS32	690	200	32-250 1 4,3 130 67 20 48	58,5
0400	NH1	RS32	690	250	32-250 1 4,3 130 67 20 48	58,5
0400	NH1	RS32	690	315	32-250 1 4,3 130 67 20 48	58,5
0400	NH1	RS32	690	350	32-250 1 4,3 130 67 20 48	58,5
0400	NH1	RS32	690	400	32-250 1 4,3 130 67 20 48	58,5

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS33 690V 250A aR	NH2	690V	250A	46,00 USD
RS33 690V 315A aR	NH2	690V	315A	46,00 USD
RS33 690V 350A aR	NH2	690V	350A	46,00 USD
RS33 690V 400A aR	NH2	690V	400A	46,00 USD
RS33 690V 450A aR	NH2	690V	450A	46,00 USD
RS33 690V 500A aR	NH2	690V	500A	48,00 USD
RS33 690V 550A aR	NH2	690V	550A	48,00 USD
RS33 690V 630A aR	NH2	690V	630A	48,00 USD
RS33 690V 700A aR	NH2	690V	700A	48,00 USD



Table 4 (cont.)

Car.	Models	Cross reference	Rated voltage	Rated current	Dimensions (mm)	Weight
No.	MRO	güçlendirici aR/fuse	(V)	(A)	Size Fig. A B C D H	(g)
0400	NH2	RS33	690	250	32-250 1 4,3 130 67 20 48	58,5
0400	NH2	RS33	690	315	32-250 1 4,3 130 67 20 48	58,5
0400	NH2	RS33	690	350	32-250 1 4,3 130 67 20 48	58,5
0400	NH2	RS33	690	400	32-250 1 4,3 130 67 20 48	58,5
0400	NH2	RS33	690	450	32-250 1 4,3 130 67 20 48	58,5
0400	NH2	RS33	690	500	32-250 1 4,3 130 67 20 48	58,5
0400	NH2	RS33	690	550	32-250 1 4,3 130 67 20 48	58,5
0400	NH2	RS33	690	630	32-250 1 4,3 130 67 20 48	58,5
0400	NH2	RS33	690	700	32-250 1 4,3 130 67 20 48	58,5

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS34 690V 500A aR	NH3	690V	500A	70,00 USD
RS34 690V 550A aR	NH3	690V	550A	70,00 USD
RS34 690V 630A aR	NH3	690V	630A	70,00 USD
RS34 690V 700A aR	NH3	690V	700A	105,00 USD
RS34 690V 800A aR	NH3	690V	800A	105,00 USD
RS34 690V 900A aR	NH3	690V	900A	105,00 USD
RS34 690V 1000A aR	NH3	690V	1000A	135,00 USD
RS34 690V 1100A aR	NH3	690V	1100A	135,00 USD
RS34 690V 1250A aR	NH3	690V	1250A	135,00 USD
RS34 690V 1400A aR	NH3	690V	1400A	135,00 USD
RS34 RSMZ301966	NH3	1100V	800A	195,00 USD
RS34 1000V 1000A aR	NH3	1000V	1000A	200,00 USD




Z301966


Table 4 (cont.)

Car.	Models	Cross reference	Rated voltage	Rated current	Dimensions (mm)	Weight
No.	MRO	güçlendirici aR/fuse	(V)	(A)	Size Fig. A B C D H	(g)
0400	NH3	RS34	690	500	32-250 1 4,3 130 67 20 48	58,5
0400	NH3	RS34	690	550	32-250 1 4,3 130 67 20 48	58,5
0400	NH3	RS34	690	630	32-250 1 4,3 130 67 20 48	58,5
0400	NH3	RS34	690	700	32-250 1 4,3 130 67 20 48	58,5
0400	NH3	RS34	690	800	32-250 1 4,3 130 67 20 48	58,5
0400	NH3	RS34	690	900	32-250 1 4,3 130 67 20 48	58,5
0400	NH3	RS34	690	1000	32-250 1 4,3 130 67 20 48	58,5
0400	NH3	RS34	690	1100	32-250 1 4,3 130 67 20 48	58,5
0400	NH3	RS34	690	1250	32-250 1 4,3 130 67 20 48	58,5
0400	NH3	RS34	690	1400	32-250 1 4,3 130 67 20 48	58,5

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RGS30AQ 690V 16A aR	NH.000.L	690V	16A	20,00 USD
RGS30AQ 690V 20A aR	NH.000.L	690V	20A	20,00 USD
RGS30AQ 690V 25A aR	NH.000.L	690V	25A	20,00 USD
RGS30AQ 690V 32A aR	NH.000.L	690V	32A	20,00 USD
RGS30AQ 690V 40A aR	NH.000.L	690V	40A	20,00 USD
RGS30AQ 690V 50A aR	NH.000.L	690V	50A	20,00 USD
RGS30AQ 690V 63A aR	NH.000.L	690V	63A	20,00 USD
RGS30AQ 690V 80A aR	NH.000.L	690V	80A	20,00 USD
RGS30AQ 690V 100A aR	NH.000.L	690V	100A	20,00 USD
RGS30AQ 690V 125A aR	NH.000.L	690V	125A	23,00 USD
RGS30AQ 690V 160A aR	NH.000.L	690V	160A	23,00 USD
RGS30AQ 690V 200A aR	NH.000.L	690V	200A	25,00 USD
RGS30AQ 690V 250A aR	NH.000.L	690V	250A	25,00 USD
RGS30AQ 690V 315A aR	NH.000.L	690V	315A	25,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS711B 690V 100A aR	NH.00.L	690V	100A	25,00 USD
RS711B 690V 125A aR	NH.00.L	690V	125A	25,00 USD
RS711B 690V 160A aR	NH.00.L	690V	160A	25,00 USD
RS711B 690V 200A aR	NH.00.L	690V	200A	25,00 USD
RS711B 690V 250A aR	NH.00.L	690V	250A	25,00 USD
RS711B 690V 315A aR	NH.00.L	690V	315A	30,00 USD
RS711B 690V 350A aR	NH.00.L	690V	350A	30,00 USD
RS711B 690V 400A aR	NH.00.L	690V	400A	40,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS72B 690V 125A aR	31 D08	690V	125A	40,00 USD
RS72B 690V 160A aR	31 D08	690V	160A	40,00 USD
RS72B 690V 200A aR	31 D08	690V	200A	40,00 USD
RS72B 690V 250A aR	31 D08	690V	250A	40,00 USD
RS72B 690V 315A aR	31 D08	690V	315A	40,00 USD
RS72B 690V 350A aR	31 D08	690V	350A	40,00 USD
RS72B 690V 400A aR	31 D08	690V	400A	40,00 USD
RS72B 690V 450A aR	31 D08	690V	450A	50,00 USD
RS72B 690V 500A aR	31 D08	690V	500A	50,00 USD
RS72B 690V 550A aR	31 D08	690V	550A	50,00 USD
RS72B 690V 630A aR	31 D08	690V	630A	50,00 USD
RS73A 690V 450A aR	32 D08	690V	450A	45,00 USD
RS73A 690V 500A aR	32 D08	690V	500A	45,00 USD
RS73A 690V 550A aR	32 D08	690V	550A	48,00 USD
RS73A 690V 630A aR	32 D08	690V	630A	48,00 USD
RS73A 690V 700A aR	32 D08	690V	700A	75,00 USD
RS73A 690V 800A aR	32 D08	690V	800A	80,00 USD
RS73A 690V 900A aR	32 D08	690V	900A	80,00 USD
RS73A 690V 1000A aR	32 D08	690V	1000A	90,00 USD
RS74A 690V 630A aR	33 D08	690V	630A	85,00 USD
RS74A 690V 700A aR	33 D08	690V	700A	85,00 USD
RS74A 690V 800A aR	33 D08	690V	800A	90,00 USD
RS74A 690V 900A aR	33 D08	690V	900A	90,00 USD
RS74A 690V 1000A aR	33 D08	690V	1000A	95,00 USD
RS74A 690V 1250A aR	33 D08	690V	1250A	125,00 USD
RS74A 690V 1400A aR	33 D08	690V	1400A	125,00 USD
RS74A 690V 1500A aR	33 D08	690V	1500A	140,00 USD
RS74A 690V 1600A aR	33 D08	690V	1600A	165,00 USD

Teslimat Süreli



Cat. No.	Model	Rated voltage (V)	Rated current (A)	Dimensions (mm)	Weight (g)
				Fg A B C D E F H	
0732	RS72B	690	200-400	7.7 44 76 108 30 25 6 10.5	360.5
0733	RS72C	690	200-400	7.7 44 108 140 30 25 6 10.5	365
0734	RS72A	690	200-400	7.7 44 108 60 32 6 78 10.5	527
0735	RS72B	690	200-400	7.7 44 108 140 30 25 6 10.5	365
0736	RS72C	690	200-400	7.7 44 108 60 32 6 78 10.5	527
0737	RS72A	690	400-600	7.7 44 76 108 73 38 6 10.5 12.5	810
0738	RS72B	690	400-600	7.7 44 108 140 73 38 6 10.5 12.5	864
0739	RS72C	690	400-600	7.7 44 108 60 74 38 6 12.5 15	944
0740	RS72A	690	400-600	7.7 68 108 140 72 38 6 78 12.5 15	750
0741	RS72B	690	400-600	7.7 68 108 60 72 38 6 78 12.5 15	750
0742	RS72C	690	400-600	7.7 68 108 140 72 38 6 78 12.5 15	944
0743	RS72A	690	400-600	7.7 68 108 60 72 38 6 78 12.5 15	944
0744	RS72B	690	400-600	7.7 172 208 240 74 32 6 12.5 15	1585




Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS71C 690V 550A aR	30 D11	690V	550A	72,00 USD
RS71C 690V 630A aR	30 D11	690V	630A	72,00 USD
RS72C 690V 125A aR	31 D11	690V	125A	45,00 USD
RS72C 690V 160A aR	31 D11	690V	160A	45,00 USD
RS72C 690V 200A aR	31 D11	690V	200A	45,00 USD
RS72C 690V 250A aR	31 D11	690V	250A	45,00 USD
RS72C 690V 315A aR	31 D11	690V	315A	50,00 USD
RS72C 690V 400A aR	31 D11	690V	400A	50,00 USD
RS72C 690V 450A aR	31 D11	690V	450A	50,00 USD
RS72C 690V 500A aR	31 D11	690V	500A	50,00 USD
RS72C 690V 550A aR	31 D11	690V	550A	50,00 USD
RS72C 690V 630A aR	31 D11	690V	630A	50,00 USD
RS72C 690V 700A aR	31 D11	690V	700A	69,00 USD
RS72C 690V 800A aR	31 D11	690V	800A	95,00 USD
RS73B 690V 450A aR	32 D11	690V	450A	85,00 USD
RS73B 690V 500A aR	32 D11	690V	500A	85,00 USD
RS73B 690V 630A aR	32 D11	690V	630A	85,00 USD
RS73B 690V 710A aR	32 D11	690V	710A	85,00 USD
RS73B 690V 800A aR	32 D11	690V	800A	85,00 USD
RS73B 690V 900A aR	32 D11	690V	900A	90,00 USD
RS73B 690V 1000A aR	32 D11	690V	1000A	90,00 USD
RS74B 690V 800A aR	33 D11	690V	800A	110,00 USD
RS74B 690V 900A aR	33 D11	690V	900A	110,00 USD
RS74B 690V 1000 A aR	33 D11	690V	1000A	125,00 USD
RS74B 690V 1100 A aR	33 D11	690V	1100A	125,00 USD
RS74B 690V 1250A aR	33 D11	690V	1250A	125,00 USD
RS74B 690V 1400A aR	33 D11	690V	1400A	125,00 USD
RS74B 690V 1500A aR	33 D11	690V	1500A	140,00 USD
RS74B 690V 1600A aR	33 D11	690V	1600A	165,00 USD



Table 3 (cont.)												
Cat. No.	Model	Rated voltage (V)	Rated current (A)	Dimensions (mm)								Weight (g)
				Fg	A	B	C	D	E	F	H	Wt
0732	RS72B	690	200-400	7.7	44	76	108	30	25	6	10.5	360.5
0733	RS72C	690	200-400	7.7	44	108	140	30	25	6	10.5	365
0734	RS72A	690	200-400	7.7	44	108	60	32	6	78	10.5	527
0735	RS72B	690	200-400	7.7	44	108	140	30	25	6	10.5	365
0736	RS72C	690	200-400	7.7	44	108	60	32	6	78	10.5	527
0737	RS72A	690	200-400	7.7	44	108	60	32	6	78	10.5	527
0738	RS72B	690	200-400	7.7	44	108	140	30	25	6	10.5	365
0739	RS72C	690	200-400	7.7	44	108	60	32	6	78	10.5	527
0740	RS72A	690	200-400	7.7	44	108	60	32	6	78	10.5	527
0741	RS72B	690	200-400	7.7	44	108	140	30	25	6	10.5	365
0742	RS72C	690	200-400	7.7	44	108	60	32	6	78	10.5	527
0743	RS72A	690	200-400	7.7	44	108	60	32	6	78	10.5	527
0744	RS72B	690	200-400	7.7	44	108	140	30	25	6	10.5	365




Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS75A 1000V 125A aR	70 D11	1000V	125A	90,00 USD
RS75A 1000V 250A aR	71 D11	1000V	250A	120,00 USD
RS75A 1000V 315A aR	71 D11	1000V	315A	120,00 USD
RS75A 1000V 450A aR	71 D11	1000V	450A	130,00 USD
RS75A 1000V 560A aR	71 D11	1000V	560A	160,00 USD
RS75B 1250V 500A aR	72 D11	1250V	500A	130,00 USD
RS75B 1250V 550A aR	72 D11	1250V	550A	130,00 USD
RS75B 1000V 630A aR	72 D11	1000V	630A	130,00 USD
RS75B 1250V 630A aR	72 D11	1250V	630A	130,00 USD
RS75B 1250V 800A aR	72 D11	1250V	800A	130,00 USD
RS75B 1000V 1000A aR	72 D11	1000V	1000A	150,00 USD
RS76C 1250V 630A aR	73 D11	1250V	630A	130,00 USD
RS76C 1000V 1000A aR	73 D11	1000V	1000A	160,00 USD
RS76C 1000V 1100A aR	73 D11	1000V	1100A	160,00 USD
RS76C 1250V 800A aR	73 D11	1250V	800A	160,00 USD
RS76C 1250V 900A aR	73 D11	1250V	900A	160,00 USD
RS76C 1250V 1000A aR	73 D11	1250V	1000A	160,00 USD
RS76C 1000V 1250A aR	73 D11	1000V	1250A	160,00 USD
RS76C 1100V 1400A aR	73 D11	1100V	1400A	220,00 USD



Table 4 (cont.)

Cat. No.	Model	Cross reference	Rated voltage (V)	Rated current (A)	Rated output (W)	Dimensions (mm)	Weight (g)				
						Fg A B C D E F H					
0749	RS60A	—	1000	400-600	7.7	130	136	73	85	12	10.5
0750	RS60B	—	1000	400-600	7.7	130	136	73	85	12	10.5
0751	RS77	A100-10	1000	250-500	7.7	42	20	30	68	8	354
0752	RS77A	A100-10	1000	250-500	7.7	42	20	30	68	8	354
0753	RS77B	A100-10	1000	250-500	7.7	42	20	30	68	8	354
0754	RS77C	A100-10	1000	250-500	7.7	42	20	30	68	8	354
0755	RS77D	—	1000	250-500	7.7	42	20	30	68	8	354
0756	RS77E	A100-10	1000	250-500	7.7	42	20	30	68	8	354
0757	RS77F	A100-10	1000	250-500	7.7	42	20	30	68	8	354
0758	RS77G	—	1000	250-500	7.7	42	20	30	68	8	354
0759	RS77H	—	1000	250-500	7.7	42	20	30	68	8	354
0760	RS77I	—	1000	250-500	7.7	42	20	30	68	8	354
0761	RS77J	—	1000	250-500	7.7	42	20	30	68	8	354
0762	RS77K	—	1000	250-500	7.7	42	20	30	68	8	354
0763	RS77L	—	1000	250-500	7.7	42	20	30	68	8	354
0764	RS77M	—	1000	250-500	7.7	42	20	30	68	8	354
0765	RS77N	—	1000	250-500	7.7	42	20	30	68	8	354
0766	RS77O	—	1000	250-500	7.7	42	20	30	68	8	354
0767	RS77P	—	1000	250-500	7.7	42	20	30	68	8	354
0768	RS77Q	—	1000	250-500	7.7	42	20	30	68	8	354
0769	RS77R	—	1000	250-500	7.7	42	20	30	68	8	354
0770	RS77S	—	1000	250-500	7.7	42	20	30	68	8	354
0771	RS77T	—	1000	250-500	7.7	42	20	30	68	8	354

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS77A 690V 80A aR	30 TTF	690V	80A	38,00 USD
RS77A 690V 100A aR	30 TTF	690V	100A	38,00 USD
RS77A 690V 125A aR	30 TTF	690V	125A	38,00 USD
RS77A 690V 160A aR	30 TTF	690V	160A	38,00 USD
RS77A 690V 200A aR	30 TTF	690V	200A	38,00 USD
RS77A 690V 250A aR	30 TTF	690V	250A	45,00 USD
RS77 690V 250A aR	31 TTF	690V	250A	42,00 USD
RS77 690V 315A aR	31 TTF	690V	315A	42,00 USD
RS77 690V 350A aR	31 TTF	690V	350A	55,00 USD
RS77 690V 400A aR	31 TTF	690V	400A	55,00 USD
RS77 690V 450A aR	31 TTF	690V	450A	55,00 USD
RS77 690V 500A aR	31 TTF	690V	500A	58,00 USD
RS77 690V 550A aR	31 TTF	690V	550A	60,00 USD
RS77 690V 630A aR	31 TTF	690V	630A	56,00 USD
RS77 690V 700A aR	31 TTF	690V	700A	65,00 USD
RS77 690V 800A aR	31 TTF	690V	800A	80,00 USD
RS77B 690V 500A aR	32 TTF	690V	500A	60,00 USD
RS77B 690V 630A aR	32 TTF	690V	630A	60,00 USD
RS77B 690V 700A aR	32 TTF	690V	700A	75,00 USD
RS77B 690V 800A aR	32 TTF	690V	800A	75,00 USD
RS77B 690V 900A aR	32 TTF	690V	900A	67,00 USD
RS77C 690V 630A aR	33 TTF	690V	630A	95,00 USD
RS77C 690V 700A aR	33 TTF	690V	700A	95,00 USD
RS77C 690V 800A aR	33 TTF	690V	800A	95,00 USD
RS77C 690V 900A aR	33 TTF	690V	900A	95,00 USD
RS77C 690V 1000A aR	33 TTF	690V	1000A	110,00 USD
RS77C 690V 1100A aR	33 TTF	690V	1100A	125,00 USD
RS77C 690V 1250A aR	33 TTF	690V	1250A	125,00 USD
RS77C 690V 1400A aR	33 TTF	690V	1400A	140,00 USD
RS77C 690V 1500A aR	33 TTF	690V	1500A	160,00 USD
RS77C 690V 1600A aR	33 TTF	690V	1600A	170,00 USD
RS77CB 690V 1600A aR	33TTF	690V	1600A	170,00 USD
RS77C 690V 1800A aR	33 TTF	690V	1800A	170,00 USD
RS77C 690V 2000A aR	33 TTF	690V	2000A	190,00 USD



Table 7 (cont.)

Cat. No.	Models	Cross-reference	Rated voltage (V)	Rated current (A)	Dimensions/sizes (mm)	Weight (g)
Fig.	A	C	D	H	md	
0740	RS550	-	2000	550	7.10 130 136	73 12 1960
0741	NGT3M	-	3300/3300	330-630	7.10 67 76	67 85 12 910
0742	RS77	A1-66C-TS	660	200-1000	7.10 42 51	50 68 8 354
0743	RS77A	A2-66C-TS	660	80-160	7.10 42 51	40 58 8 225
0744	RS77B	A2-66C-TS	660	400-630	7.10 42 51	60 78 10 518
0745	RS77C	A3-66C-TS	660	830-1000	7.10 45 54	74 92 12 865
0746	RS77H	-	1000	200-400	7.10 66 76	50 68 8 528
0747	RS78	3ME43.68	660	315-500	7.10 66 77	60 77 10 860
0748	RS79	-	1000	400-1000	7.10 92 106	74 92 12 1655
0749	RS79A	170M34..	660	200-400	7.10 46 52	43 61 8 277
0750	RS79C	-	1000	400-1000	7.10 77 85	74 92 12 1325
0751	RS79D	140M63..	1000	800-1000	7.10 67 75	74 92 12 1170
0752	RS79E	170M64..	1000	830-1000	7.10 87 95	74 92 12 1420
0753	RS550Z	-	2000	550	7.10 135 143	74 92 12 1985
0754	RS82	C5SF	500	75-200	7.10 40 47	47 70 8 325
0755	RS83	C5SF	500	200-400	7.10 43 51	57 82 8 450
0756	RS84	C5SF	500	450-630	7.10 42 53	72 92 10 830
0757	RS85	C510F	600	200-630	7.10 66 76	60 77 10 740
0758	RS86	3ME64..	500	300-700	7.10 66 77	72 92 10 1110
0759	RS86A(Z)	RSF-4	500/800	800-1250	7.10 68 78	85 130 12 1200
0760	RS87	RSF-6	500/1000	1250-1600	7.10 70 80	105 150 16 1320
0761	RS87A(Z)	RSF-6	500/1000	1600-2000	7.10 81 91	120 165 16 2216
0762	RS88A	-	660	800-1600	7.10 78 90	105 127 16 1240




Figure 7.10

Z300586 Mersen
170M6469 - 170M6419 Bussmann

1000V - 1300V aR Vidalı Hızlı Yarı iletken Koruma Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RS77H 1000V 250A aR	71 TTF	1000V	250A	52,00 USD
RS77H 1300V 200A aR	71 TTF	1300V	200A	52,00 USD
RS77H 1300V 250A aR	71 TTF	1300V	250A	52,00 USD
RS77H 1300V 315A aR	71 TTF	1300V	315A	60,00 USD
RS77H 1300V 400A aR	71 TTF	1300V	400A	60,00 USD
RS85 1000V 630A aR	72 TTF	1000V	630A	85,00 USD
RS85 1000V 800A aR	72 TTF	1000V	800A	105,00 USD
RS79D 1000V 630A aR	73 TTF	1000V	630A	135,00 USD
RS79D 1000V 700A aR	73 TTF	1000V	700A	135,00 USD
RS79D 1000V 800A aR	73 TTF	1000V	800A	135,00 USD
RS79D 1000V 900A aR	73 TTF	1000V	900A	135,00 USD
RS79D 1000V 1000A aR	73 TTF	1000V	1000A	135,00 USD
RS79D 1000V 1100A aR	73 TTF	1000V	1100A	140,00 USD
RS79D 1000V 1250A aR	73 TTF	1000V	1250A	140,00 USD
RS79D 1000V 1400A aR	73 TTF	1000V	1400A	175,00 USD
RS87 1000V 1600A aR	RSF.6	1000V	1600A	350,00 USD



Table 7 (cont.)

Cat. No.	Models	Cross-reference	Rated voltage (V)	Rated current (A)	Dimensions/sizes (mm)	Weight (g)
Fig.	A	C	D	H	md	
0740	RS550	-	2000	550	7.10 130 136	73 12 1960
0741	NGT3M	-	3300/3300	330-630	7.10 67 76	67 85 12 910
0742	RS77	A1-66C-TS	660	200-1000	7.10 42 51	50 68 8 354
0743	RS77A	A2-66C-TS	660	80-160	7.10 42 51	40 58 8 225
0744	RS77B	A2-66C-TS	660	400-630	7.10 42 51	60 78 10 518
0745	RS77C	A3-66C-TS	660	830-1000	7.10 45 54	74 92 12 865
0746	RS77H	-	1000	200-400	7.10 66 76	50 68 8 528
0747	RS78	3ME43.68	660	315-500	7.10 66 77	60 77 10 860
0748	RS79	-	1000	400-1000	7.10 92 106	74 92 12 1655
0749	RS79A	170M34..	660	200-400	7.10 46 52	43 61 8 277
0750	RS79C	-	1000	400-1000	7.10 77 85	74 92 12 1325
0751	RS79D	140M63..	1000	800-1000	7.10 67 75	74 92 12 1170
0752	RS79E	170M64..	1000	830-1000	7.10 87 95	74 92 12 1420
0753	RS550Z	-	2000	550	7.10 135 143	74 92 12 1985
0754	RS82	C5SF	500	75-200	7.10 40 47	47 70 8 325
0755	RS83	C5SF	500	200-400	7.10 43 51	57 82 8 450
0756	RS84	C5SF	500	450-630	7.10 42 53	72 92 10 830
0757	RS85	C510F	600	200-630	7.10 66 76	60 77 10 740
0758	RS86	3ME64..	500	300-700	7.10 66 77	72 92 10 1110
0759	RS86A(Z)	RSF-4	500/800	800-1250	7.10 68 78	85 130 12 1200
0760	RS87	RSF-6	500/1000	1250-1600	7.10 70 80	105 150 16 1320
0761	RS87A(Z)	RSF-6	500/1000	1600-2000	7.10 81 91	120 165 16 2216
0762	RS88A	-	660	800-1600	7.10 78 90	105 127 16 1240




Figure 7.10

RS87 Ölçüler: A 70 / C 80 / D 105 / H 150 M16

Special aR Vidalı Yarı iletken Koruma Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RSQ4 690V 1250A	4 TTF/4xM10	690V	1250A	270,00 USD
RSQ4 690V 2000A	4 TTF/4xM10	690V	2000A	270,00 USD
RSQ4 690V 2500A	4 TTF/4xM10	690V	2500A	270,00 USD
RSQ3 800V 2000A	3 TTF/2xM10	800V	2000A	260,00 USD
RS76B 690V 630A	110/LLE	690V	630A	180,00 USD



USA STANDARTI

45x110/4xM10

85x80mm/2xM10-30mm


Special aR Kancalı Yarı iletken Koruma Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
BRS86242 750V DC 125A	CC 7,5 gRC/120EF	750V DC	125A	240,00 USD
BD2-125A 1200VDCBB	Size 70 aR Tabana Montaj L Bracket	1200V DC	125A	450,00 USD
BD2-80A 1200VDCBB	Size 70 aR Tabana Montaj L Bracket	1200V DC	80A	450,00 USD




1 BOY 1000VAC Alman Tipi Special Kancalı Yarı iletken Sigortalar DIN 110

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
NGT1Q 1000VAC 125A	Size 71 D11	1000V AC	125A	90,00 USD
NGT1Q 1000VAC 160A	Size 71 D11	1000V AC	160A	90,00 USD
NGT1Q 1000VAC 200A	Size 71 D11	1000V AC	200A	90,00 USD
NGT1Q 1000VAC 250A	Size 71 D11	1000V AC	250A	90,00 USD



Silindirik Sigorta Yuvaları 10x38 mm

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RT18-32 1P	10x38 1P	690V	32A	4,00 USD
RT18-32 2P	10x38 2P	690V	32A	8,00 USD
RT18-32 3P	10x38 3P	690V	32A	12,00 USD
RT18-32 2x1P (LEDLİ IŞIKLI)	10x38 1P	690V	32A	15,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RT18L-63 1P	14x51 1P	690V	63A	10,00 USD
RT18L-63 2P	14x51 2P	690V	63A	20,00 USD
RT18L-63 3P	14x51 3P	690V	63A	25,00 USD
RT18L-63x1P (LEDLİ,İŞIKLI)	14x51 1P	690V	63A	35,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RT18L-125 1P	22x58 1P	690V	125A	15,00 USD
RT18L-125 2P	22x58 2P	690V	125A	30,00 USD
RT18L-125 3P	22x58 3P	690V	125A	35,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
FB11C	80 mm	690V	400A	18,50 USD
Alman tipi kancalı Sigorta Kaide				
FB73B	110 mm	700V	630A	90,00 USD
BFM110	80-110mm	1300V AC	1400 A	125,00 USD
	80-110mm	700V AC	2000 A	



Sipariş Kodu	Voltaj (V)	Akım (A)	B.Fiyat
BJT 15A	600V	AJT15	60,00 USD
BJT 80A	600V	AJT80	135,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
RO15T	ATDR	600V	10A	65,00 USD
RO15T	ATDR	600V	12A	65,00 USD
RO15T	ATDR	600V	20A	65,00 USD
RO15T	ATDR	600V	25A	65,00 USD
RO15T	ATDR	600V	30A	65,00 USD



Sipariş Kodu	B.Fiyat
BC10 440mA 1000V DC DMM44/100	55,00 USD
BC10 11A 1000V DC DMB11A	55,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
BWP-75A aR	L: 11,50 CM	AC 700V	75A	40,00 USD
BWP-100A aR	L: 11,50 CM	AC 700V	100A	40,00 USD
BWP-125A aR	L: 13 CM	AC 700V	125A	50,00 USD
BWP-150A aR	L: 13 CM	AC 700V	150A	50,00 USD
BWP-180A aR	L: 13 CM	AC 700V	180A	50,00 USD
BWP-200A aR	L: 13 CM	AC 700V	200A	50,00 USD
BWP-450A aR	L: 18 CM	AC 700V	450A	110,00 USD
BWP-600A aR	L: 18 CM	AC 700V	600A	110,00 USD



Sipariş Kodu	Boy	B.Fiyat
BHR17-160 3P	NH00 160A 3P	27,00 USD
DR1-160 3P	NH00 160A 3P	30,00 USD
DR1-250 3P	NH1 250A 3P	65,00 USD
DR1-400 3P	NH2 400A 3P	85,00 USD
DR1-630 3P	NH3 630A 3P	120,00 USD

(Ekonomik Model)




Sipariş Kodu	B.Fiyat
RS77ZX TABAN MONTAJ SWITCH	16,00 USD
TYPE MICRO SWITCH+ADAPTOR FOR RS77	13,00 USD



Sipariş Kodu	B.Fiyat
1401 NT 000-4 Ellik	15,00 USD



Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
CNL-35/Q 8.7	CNL-35	48V	35A	10,00 USD
CNL-50/Q 8.7	CNL-50	48V	50A	10,00 USD
CNL-60/Q 8.7	CNL-60	48V	60A	10,00 USD
CNL-80/Q 8.7	CNL-80	48V	80A	10,00 USD
CNL-100/Q 8.7	CNL-100	48V	100A	10,00 USD
CNL-125/Q 8.7	CNL-125	48V	125A	10,00 USD
CNL-150/Q 8.7	CNL-150	48V	150A	10,00 USD
CNL-175/Q 8.7	CNL-175	48V	175A	10,00 USD
CNL-200/Q 8.7	CNL-200	48V	200A	10,00 USD
CNL-250/Q 8.7	CNL-250	48V	250A	10,00 USD
CNL-300/Q 8.7	CNL-300	48V	300A	15,00 USD
CNL-350/Q 8.7	CNL-350	48V	350A	15,00 USD
CNL-400/Q 8.7	CNL-400	48V	400A	15,00 USD
CNL-500/Q 8.7	CNL-500	48V	500A	15,00 USD
CNL-600/Q8.7	CNL-600	48V	600A	15,00 USD
BXR1 Forklift Sigorta Kaide	DC-24-72V / 220 AC		35-800A	14,00 USD





MİRO BOR

1000V 10x38 gPV Fotovoltik Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
PV10 gPV DC 1000V 2A	10x38	PV 1000V	2A	4,00 USD
PV10 gPV DC 1000V 4A	10x38	PV 1000V	4A	4,00 USD
PV10 gPV DC 1000V 6A	10x38	PV 1000V	6A	4,00 USD
PV10 gPV DC 1000V 10A	10x38	PV 1000V	10A	4,00 USD
PV10 gPV DC 1000V 15A	10x38	PV 1000V	15A	4,00 USD
PV10 gPV DC 1000V 20A	10x38	PV 1000V	20A	5,00 USD
PV10 gPV DC 1000V 25A	10x38	PV 1000V	25A	5,00 USD
PV10 gPV DC 1000V 30A	10x38	PV 1000V	30A	8,00 USD



MİRO BOR

1500V 10x85 gPV Fotovoltik Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
BS385-PV gpV	10x85	PV 1500V	2A	22,00 USD
BS385-PV gpV	10x85	PV 1500V	4A	22,00 USD
BS385-PV gpV	10x85	PV 1500V	6A	22,00 USD
BS385-PV gpV	10x85	PV 1500V	10A	22,00 USD
BS385-PV gpV	10x85	PV 1500V	15A	22,00 USD
BS385-PV gpV	10x85	PV 1500V	20A	22,00 USD
BS385-PV gpV	10x85	PV 1500V	25A	25,00 USD
BS385-PV gpV	10x85	PV 1500V	30A	25,00 USD



MİRO BOR

1000V 14x51 gPV Fotovoltik Silindirik Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
BS314-PV gPV 15A	14X51	PV1000V	15A	9,50 USD
BS314-PV gPV 20A	14X51	PV1000V	20A	9,50 USD
BS314-PV gPV 32A	14X51	PV1000V	32A	9,50 USD
BS314-PV gPV 40A	14X51	PV1000V	40A	9,50 USD
BS314-PV gPV 50A	14X51	PV1000V	50A	9,50 USD
BS314-PV gPV 63A	14X51	PV1000V	63A	12,00 USD



MİRO BOR

1000V 10x38 gPV Fotovoltik Silindirik Sigorta Kaideleri

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
PVH 30-1	10X38 1P	PV1000V DC	30A	8,00 USD
PVH 30-2	10X38 2P	PV1000V DC	30A	17,00 USD



MİRO BOR

1500V 10x85 gPV Fotovoltik Silindirik Sigorta Kaideleri

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
BH.385.PV	10X85	PV1500V	30A	25,00 USD



MİRO BOR

1000V 14x51 gPV Fotovoltik Silindirik Sigorta Kaideleri

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
BH.314.PV1	14X51 1P	PV1000V	63A	25,00 USD



MİRO BOR

NH1 gPV 1000V Fotovoltik Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
BPV.300.NH1 gPV 50A	NH1	PV1000V	50A	65,00 USD
BPV.300.NH1 gPV 63A	NH1	PV1000V	63A	65,00 USD
BPV.300.NH1 gPV 125A	NH1	PV1000V	125A	75,00 USD
BPV.300.NH1 gPV 160A	NH1	PV1000V	160A	75,00 USD
BPV.300.NH1 gPV 200A	NH1	PV1000V	200A	75,00 USD



MİRO BOR

1000V-1500V NH1L Fotovoltik Fuse Holder

Sipariş Kodu	Voltaj (V)	Akım (A)	B.Fiyat
BH.300.NH1L	PV1000V	FUSE HOLDER	60,00 USD
BH.315.NH3L	PV1500V	FUSE HOLDER	97,00 USD



MİRO BOR

NH3L gPV Fotovoltik Sigortalar

Sipariş Kodu	Boy	Voltaj (V)	Akım (A)	B.Fiyat
BPV.315.250A	NH3L	PV1500V	250A	145,00 USD
BPV.315.315A	NH3L	PV1500V	315A	145,00 USD
BPV.315.400A	NH3L	PV1500V	400A	165,00 USD
BPV.315.450A	NH3L	PV1500V	450A	165,00 USD
BPV.315.500A	NH3L	PV1500V	500A	185,00 USD
BPV.315.630A	NH3L	PV1500V	630A	210,00 USD



- Fatura kesim tarihindeki TCMB efektif satış kuru üzerinden Türk Lirasına çevrilecektir.
- Fiyatlarımıza KDV dahil değildir.
- Bor Endüstri Elektrik Elektronik Tic.A.Ş. fiyat listesinden haber vermeksizin değişiklik yapma hakkına sahiptir.

BD Serisi (DC Sigorta)



Ratings:


Voltage Rating: 750V-4200V

Current Rating: 20A-2000A

Interrupt Rating: 30 kA- 100 kA

Ordering Information:

BDXXX- XXX A XXX V XX



Notes:

While terminal type is optional, the terminal type code should be indicated immediately behind the voltage rating, and the D11 type is default;

Indicator is K for type K indicator (default), etc.

While gR/aR are optional, aR is default and gR should follow the indicator code,

Eg. BD0-BD1-BD2-BD3 1200V FS-V-gR

If need other type indicator, please contact us.


While microswitch is necessary, the terminal type code should be followed by "M"

Eg. BD1-2000A 1200V FSM-K-gR
2xBD2-2xBD3

Terminal type code	Terminal type
FS	Terminal FS
D11	Terminal D11
FB	Terminal FB
AB	Terminal AB
BB	Terminal BB
D08	Terminal D08

Size code	Maximum cross section size of body
0	45×45
1	53×53
2	68×68
3	76×76
4	85×85
5	118×118

Semiconductors IGBT Protection Fuse



Ratings:


Voltage Rating: 1000V AC

1000V DC

Current Rating: 25A-500A

Interrupt Rating: 50 kA- 100 kA

Mechanical Dimensions:



BDR Serisi 1000VDC

Metro 3. Ray Sigortası




Ratings:

Voltage Rating: 1000VDC

Current Rating: 400A-1000A

Interrupt Rating: 30 kA

Mechanical Dimensions:



Sertifikalarımız



Ref. Certif. No.

CN14260

IC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) EN 50366

SYSTEME CI D'ACCEPTATION MUTUELLE DE CERTIFICATS D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) EN 50366

CB TEST CERTIFICATE

Product

Name and address of the applicant

Nom et adresse du demandeur

Name and address of the manufacturer

Nom et adresse du fabricant

Name and address of the surveyor

Nom et adresse de l'organisme

Notary (signature of the competent body, valid for a maximum of 3 years)

Endings and particular characteristics

Endings and remarks in certificate/previous products

Trademark (s)

Marque (s) (marque (s) de l'organisme)

Model / Type Ref.

Modèle / Type Ref.

Additional information if necessary may also be reported
on page 25

Additional information (supplementaries) is indicated, provided this
is subject to the 27th page

Is a sample of the product was tested and found

Un échantillon de ce produit a été essayé et on a constaté

conformité à la

Low-voltage (extra-low-voltage with low-voltage) with Made countries

ZHUJIAN MININGELECTRICAL PROTECTION CO.LTD

Wu Hui Road, Economic Developing Zone, Yangqing, Zhejiang China

ZHUJIAN MININGELECTRICAL PROTECTION CO.LTD

Wu Hui Road, Economic Developing Zone, Yangqing, Zhejiang China

ZHUJIAN MININGELECTRICAL PROTECTION CO.LTD

Wu Hui Road, Economic Developing Zone, Yangqing, Zhejiang China

AC-220V/50Hz/10mA/30mA/50mA/100mA/150mA/250mA/400mA/630mA/1000V/10kV/15kV/20kV/25kV/30kV/35kV/40kV/45kV/50kV/55kV/60kV/63kV/66kV/72.5kV/76kV/80kV/84kV/87.5kV/90kV/96kV/100kV/105kV/110kV/115kV/120kV/125kV/138kV/145kV/150kV/155kV/160kV/165kV/170kV/175kV/180kV/185kV/190kV/195kV/200kV/205kV/210kV/215kV/220kV/225kV/230kV/235kV/240kV/245kV/250kV/255kV/260kV/265kV/270kV/275kV/280kV/285kV/290kV/295kV/300kV/305kV/310kV/315kV/320kV/325kV/330kV/335kV/340kV/345kV/350kV/355kV/360kV/365kV/370kV/375kV/380kV/385kV/390kV/395kV/400kV/405kV/410kV/415kV/420kV/425kV/430kV/435kV/440kV/445kV/450kV/455kV/460kV/465kV/470kV/475kV/480kV/485kV/490kV/495kV/500kV/505kV/510kV/515kV/520kV/525kV/530kV/535kV/540kV/545kV/550kV/555kV/560kV/565kV/570kV/575kV/580kV/585kV/590kV/595kV/600kV/605kV/610kV/615kV/620kV/625kV/630kV/635kV/640kV/645kV/650kV/655kV/660kV/665kV/670kV/675kV/680kV/685kV/690kV/695kV/700kV/705kV/710kV/715kV/720kV/725kV/730kV/735kV/740kV/745kV/750kV/755kV/760kV/765kV/770kV/775kV/780kV/785kV/790kV/795kV/800kV/805kV/810kV/815kV/820kV/825kV/830kV/835kV/840kV/845kV/850kV/855kV/860kV/865kV/870kV/875kV/880kV/885kV/890kV/895kV/900kV/905kV/910kV/915kV/920kV/925kV/930kV/935kV/940kV/945kV/950kV/955kV/960kV/965kV/970kV/975kV/980kV/985kV/990kV/995kV/1000kV/1005kV/1010kV/1015kV/1020kV/1025kV/1030kV/1035kV/1040kV/1045kV/1050kV/1055kV/1060kV/1065kV/1070kV/1075kV/1080kV/1085kV/1090kV/1095kV/1100kV/1105kV/1110kV/1115kV/1120kV/1125kV/1130kV/1135kV/1140kV/1145kV/1150kV/1155kV/1160kV/1165kV/1170kV/1175kV/1180kV/1185kV/1190kV/1195kV/1200kV/1205kV/1210kV/1215kV/1220kV/1225kV/1230kV/1235kV/1240kV/1245kV/1250kV/1255kV/1260kV/1265kV/1270kV/1275kV/1280kV/1285kV/1290kV/1295kV/1300kV/1305kV/1310kV/1315kV/1320kV/1325kV/1330kV/1335kV/1340kV/1345kV/1350kV/1355kV/1360kV/1365kV/1370kV/1375kV/1380kV/1385kV/1390kV/1395kV/1400kV/1405kV/1410kV/1415kV/1420kV/1425kV/1430kV/1435kV/1440kV/1445kV/1450kV/1455kV/1460kV/1465kV/1470kV/1475kV/1480kV/1485kV/1490kV/1495kV/1500kV/1505kV/1510kV/1515kV/1520kV/1525kV/1530kV/1535kV/1540kV/1545kV/1550kV/1555kV/1560kV/1565kV/1570kV/1575kV/1580kV/1585kV/1590kV/1595kV/1600kV/1605kV/1610kV/1615kV/1620kV/1625kV/1630kV/1635kV/1640kV/1645kV/1650kV/1655kV/1660kV/1665kV/1670kV/1675kV/1680kV/1685kV/1690kV/1695kV/1700kV/1705kV/1710kV/1715kV/1720kV/1725kV/1730kV/1735kV/1740kV/1745kV/1750kV/1755kV/1760kV/1765kV/1770kV/1775kV/1780kV/1785kV/1790kV/1795kV/1800kV/1805kV/1810kV/1815kV/1820kV/1825kV/1830kV/1835kV/1840kV/1845kV/1850kV/1855kV/1860kV/1865kV/1870kV/1875kV/1880kV/1885kV/1890kV/1

 C E R T I F I C A T E of Conformity Low Voltage Directive 2014/35/EU	
Registration No.:	AN 50485016 0001
Report No.:	14704254 006
 Holder:	
MERSEN ZHEJIANG CO., LTD. Building 2# No. 122# Chenwang Road, Technical Development Zone, Changxing, Huzhou City, 313100 Zhejiang P.R. China	
Product:	FUSE (Low-voltage Fuse)
Identification:	Fuse-link Type Designation: RT18-63(H016) Fuse-base Type Designation: RT18-63 RT18-63 [X] Serial No. N-9 Remark: Issued in conjunction with TÜV Rheinland Licence R 50485016 0001.
This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the License Holder's disposal. This is to certify that the tested sample is in conformity with Annex I of Council Directive 2014/35/EU, referred to as the Low Voltage Directive. This certificate does not imply assessment of the entire production of the product. authorized to use this certificate in connection with the CE declaration of conformity according to Annex IV of the Directive.	
Product Body  James LL	
Date:	<u>09.11.2020</u>
TÜV Rheinland LGA Products GmbH · Tillystraße 2 · 90431 Nürnberg	

Zertifikat		Certificate		 TUV Rheinland®	
Zertifikat Nr. / Certificate No. R 50489315		Blatt / Sheet 0001			
Zert. / Class Reference		Zus. Zeichen / Cross Reference		Ausstellungsdatum / Date of Issue 09.11.2025	
H.T. / M.		1029-TQ-14705254_006		(day/month)	
Gesamtingenieur / License holder MERSSEN SHEJIANG CO., LTD. Building 24, No. 1229, Chenshang Road, Development Zone, Changming, Suzhou City, 311100 Zhejiang P.R. China			Fertigungsinhaber / Manufacturing Firm MERSSEN SHEJIANG CO., LTD. Building 24, No. 1229, Chenshang Road, Development Zone, Changming, Suzhou City, 311100 Zhejiang P.R. China		
Prüftechnische Test-Mark  Name / Name Adresse / Address Telefon / Telephone E-Mail / E-Mail Web-Adresse / Web-Address			Geprüft nach / Tested acc. to EN 60362 IEC 60362-1:2011+A1+A2 HD 60362-6:2001		
Zertifizierte Produkte (Certificate/Holdings) Certified Product (Product Identification)			Lizenzierungs- / Einzel License Fee - Fee Unit		
FAUSE (Low-Voltage Fuse)					
Fuse-List					
Type / Designation		RT18-4 (30V)		5	
Rated Voltage		1 AC 30V			
Rated Current		1 AC 30V, 2 AC 30V, 3 AC 30V, 4 AC 30V, 5 AC 30V, 6 AC 30V, 7 AC 30V, 8 AC 30V, 9 AC 30V, 10 AC 30V, 11 AC 30V, 12 AC 30V, 13 AC 30V, 14 AC 30V, 15 AC 30V, 16 AC 30V, 17 AC 30V, 18 AC 30V, 19 AC 30V, 20 AC 30V, 21 AC 30V, 22 AC 30V, 23 AC 30V, 24 AC 30V, 25 AC 30V, 26 AC 30V, 27 AC 30V, 28 AC 30V, 29 AC 30V, 30 AC 30V, 31 AC 30V, 32 AC 30V, 33 AC 30V, 34 AC 30V, 35 AC 30V, 36 AC 30V, 37 AC 30V, 38 AC 30V, 39 AC 30V, 40 AC 30V, 41 AC 30V, 42 AC 30V, 43 AC 30V, 44 AC 30V, 45 AC 30V, 46 AC 30V, 47 AC 30V, 48 AC 30V, 49 AC 30V, 50 AC 30V, 51 AC 30V, 52 AC 30V, 53 AC 30V, 54 AC 30V, 55 AC 30V, 56 AC 30V, 57 AC 30V, 58 AC 30V, 59 AC 30V, 60 AC 30V, 61 AC 30V, 62 AC 30V, 63 AC 30V, 64 AC 30V, 65 AC 30V, 66 AC 30V, 67 AC 30V, 68 AC 30V, 69 AC 30V, 70 AC 30V, 71 AC 30V, 72 AC 30V, 73 AC 30V, 74 AC 30V, 75 AC 30V, 76 AC 30V, 77 AC 30V, 78 AC 30V, 79 AC 30V, 80 AC 30V, 81 AC 30V, 82 AC 30V, 83 AC 30V, 84 AC 30V, 85 AC 30V, 86 AC 30V, 87 AC 30V, 88 AC 30V, 89 AC 30V, 90 AC 30V, 91 AC 30V, 92 AC 30V, 93 AC 30V, 94 AC 30V, 95 AC 30V, 96 AC 30V, 97 AC 30V, 98 AC 30V, 99 AC 30V, 100 AC 30V, 101 AC 30V, 102 AC 30V, 103 AC 30V, 104 AC 30V, 105 AC 30V, 106 AC 30V, 107 AC 30V, 108 AC 30V, 109 AC 30V, 110 AC 30V, 111 AC 30V, 112 AC 30V, 113 AC 30V, 114 AC 30V, 115 AC 30V, 116 AC 30V, 117 AC 30V, 118 AC 30V, 119 AC 30V, 120 AC 30V, 121 AC 30V, 122 AC 30V, 123 AC 30V, 124 AC 30V, 125 AC 30V, 126 AC 30V, 127 AC 30V, 128 AC 30V, 129 AC 30V, 130 AC 30V, 131 AC 30V, 132 AC 30V, 133 AC 30V, 134 AC 30V, 135 AC 30V, 136 AC 30V, 137 AC 30V, 138 AC 30V, 139 AC 30V, 140 AC 30V, 141 AC 30V, 142 AC 30V, 143 AC 30V, 144 AC 30V, 145 AC 30V, 146 AC 30V, 147 AC 30V, 148 AC 30V, 149 AC 30V, 150 AC 30V, 151 AC 30V, 152 AC 30V, 153 AC 30V, 154 AC 30V, 155 AC 30V, 156 AC 30V, 157 AC 30V, 158 AC 30V, 159 AC 30V, 160 AC 30V, 161 AC 30V, 162 AC 30V, 163 AC 30V, 164 AC 30V, 165 AC 30V, 166 AC 30V, 167 AC 30V, 168 AC 30V, 169 AC 30V, 170 AC 30V, 171 AC 30V, 172 AC 30V, 173 AC 30V, 174 AC 30V, 175 AC 30V, 176 AC 30V, 177 AC 30V, 178 AC 30V, 179 AC 30V, 180 AC 30V, 181 AC 30V, 182 AC 30V, 183 AC 30V, 184 AC 30V, 185 AC 30V, 186 AC 30V, 187 AC 30V, 188 AC 30V, 189 AC 30V, 190 AC 30V, 191 AC 30V, 192 AC 30V, 193 AC 30V, 194 AC 30V, 195 AC 30V, 196 AC 30V, 197 AC 30V, 198 AC 30V, 199 AC 30V, 200 AC 30V, 201 AC 30V, 202 AC 30V, 203 AC 30V, 204 AC 30V, 205 AC 30V, 206 AC 30V, 207 AC 30V, 208 AC 30V, 209 AC 30V, 210 AC 30V, 211 AC 30V, 212 AC 30V, 213 AC 30V, 214 AC 30V, 215 AC 30V, 216 AC 30V, 217 AC 30V, 218 AC 30V, 219 AC 30V, 220 AC 30V, 221 AC 30V, 222 AC 30V, 223 AC 30V, 224 AC 30V, 225 AC 30V, 226 AC 30V, 227 AC 30V, 228 AC 30V, 229 AC 30V, 230 AC 30V, 231 AC 30V, 232 AC 30V, 233 AC 30V, 234 AC 30V, 235 AC 30V, 236 AC 30V, 237 AC 30V, 238 AC 30V, 239 AC 30V, 240 AC 30V, 241 AC 30V, 242 AC 30V, 243 AC 30V, 244 AC 30V, 245 AC 30V, 246 AC 30V, 247 AC 30V, 248 AC 30V, 249 AC 30V, 250 AC 30V, 251 AC 30V, 252 AC 30V, 253 AC 30V, 254 AC 30V, 255 AC 30V, 256 AC 30V, 257 AC 30V, 258 AC 30V, 259 AC 30V, 260 AC 30V, 261 AC 30V, 262 AC 30V, 263 AC 30V, 264 AC 30V, 265 AC 30V, 266 AC 30V, 267 AC 30V, 268 AC 30V, 269 AC 30V, 270 AC 30V, 271 AC 30V, 272 AC 30V, 273 AC 30V, 274 AC 30V, 275 AC 30V, 276 AC 30V, 277 AC 30V, 278 AC 30V, 279 AC 30V, 280 AC 30V, 281 AC 30V, 282 AC 30V, 283 AC 30V, 284 AC 30V, 285 AC 30V, 286 AC 30V, 287 AC 30V, 288 AC 30V, 289 AC 30V, 290 AC 30V, 291 AC 30V, 292 AC 30V, 293 AC 30V, 294 AC 30V, 295 AC 30V, 296 AC 30V, 297 AC 30V, 298 AC 30V, 299 AC 30V, 300 AC 30V, 301 AC 30V, 302 AC 30V, 303 AC 30V, 304 AC 30V, 305 AC 30V, 306 AC 30V, 307 AC 30V, 308 AC 30V, 309 AC 30V, 310 AC 30V, 311 AC 30V, 312 AC 30V, 313 AC 30V, 314 AC 30V, 315 AC 30V, 316 AC 30V, 317 AC 30V, 318 AC 30V, 319 AC 30V, 320 AC 30V, 321 AC 30V, 322 AC 30V, 323 AC 30V, 324 AC 30V, 325 AC 30V, 326 AC 30V, 327			

[illegible]

QUALITY MANAGEMENT SYSTEM CERTIFICATE

Certificate No.: 00113Q23937R1M/3300

We hereby certify that
Zhejiang Mingrong Electrical Protection Co.,Ltd

Wei 11th Road, Economic Development Zone, Yueqing, Zhejiang Province, P.R. China

by reason of its
Quality Management System
has been awarded this certificate for compliance with the standard
ISO9001:2008
GB/T 19001-2008

The Quality Management System-Applies in the following area:
Production of Fuse(3290A) Low Voltage Fuse Disconnecting Switches (3838A)

Certified since: May. 10, 2010 Valid from Apr. 20, 2013 Valid until: Apr. 25, 2016

After a surveillance audit, this certificate is valid only when used together with an Appointment Notice of Surveillance Audit issued by CQC.
Please observe when you start on for checking validity of the certificate.

Handwritten signature
Signed by: Wang Kaijiao

CHINA QUALITY CERTIFICATION CENTRE

Room 201, No.148, Wanhongbin South Fourth Ring Road, Xidi Area, Beijing, 100070, China
8610-63400420

Q. 0128250

00000000

2016/2018	Mersen International group (giglio-mersen.com) Carbone Lorraine		
By setting your navigation on this website, you accept use of cookies for statistics and advanced content personalization.	          	Search GO	
			
			
MERSEN in 2014 100000+ EMPLOYEES 150+ COUNTRIES 1 AREAS OF EXPERTISE 15 BUSINESSES			
			
2014	Equity sales in Europe, operations in lighting and overvoltage protection (PTD)		
2015	China, the largest worldwide market in power in immediate focus, is acquired		
2016	 FINANCING CONSUMERS PHARMACEUTICALS AEROSPACE AERONAUTICS		
2016	Patterns are strengthened in solar energy through the purchase of a majority shareholder in Tanelle		
2016	A majority controlling in Bechtel, a major civilian aerospace company, is acquired		
2016	The business for automotive and industrial electrical appliances division is sold		
2016	Canada, the world #1 in rigid carbon feels is bought		
2016	A new and extensive trading network is created		
2016	Kuana and Mingxing Electric Production (PTE) by the Group's first acquisitions in China, are purchased		
2017	Chongqing plant, the Group's first manufacturing facility in China, is inaugurated		
2016	Partners are strengthened in power electronics through the acquisition of a French		
2016	The largest plant for automotive appliances is sold		
2015	First sale and entry over-voltage parts are recorded		
2015	Global financial group's worldwide production division is acquired		
2015	Unit operational in lighting systems is set up		
2015	Partners take the solar project		
2015	Manufacture (painted blades) electrical and high temperature applications assets are acquired		
2015	Partners move about the 50% minority stock. The industrial and business is transferred to Carbone Lorraine		
2015	Partners in organic		
2015	The Avenue plant is built in manufacturing business for electric insulators		
2015	The first carbon materials business is started up at Pagaru sur Meuse		
2015	La Carbone Lorraine takes up the manufacturing distribution of products for forest, an industrial base manufactured based in Lyon		
2017	"La Carbone" and "Compagnie Lorraine de Charbon pour l'Energie" evolve to become: Group Carbone Lorraine		
	LORRAINE	PARIS REGION	
1997	Factory merger between Carbone Lorraine and Chabousson plant of Belfortville	1989	First sale is approved in the United States
1995	Pagaru sur Meuse plant is destroyed during the First World War	1987	First international subsidiary is set up at Germany
1993	The Pagaru sur Meuse plant is built	1986	Globalization process is discovered by a Group employee
1991	The Pagaru sur Meuse plant built with plastic resin, dynamite and	1984	La Carbone is born out of two and operations in the manufacture of blades for turbines
1989	The Pagaru sur Meuse plant is built		

Info: News center info@carbone-lorraine.com

press release

Paris, May 30th, 2011



Mersen acquires the remainder of Zhejiang Mingrong Electrical Protection's capital

Mersen is announcing that it has acquired the remainder of the capital of Mingrong Electrical Protection (MEP) located in the Chinese province of Zhejiang. It had previously held a 51% stake since July 2008.

With the broadest range of products of all the Chinese participants in the fuse and fusegear market, MEP has contributed to the strong growth in Mersen's export business and sales in China, notably by complementing the Group's existing products with its own. It has also given the Group a stronger commercial presence in the Chinese distributor and original-equipment manufacturer segment. Mersen has successfully won the confidence of MEP's longstanding shareholders in its ability to continue developing new electrical protection technologies in China and Asia. Mersen will share with the newly acquired entity the successful products it has developed in the buoyant energy efficiency and renewable energies segments to accelerate its development.

Full ownership of MEP will help Mersen to harness synergies more rapidly by enhancing the operational efficiency and competitiveness of its production platform. It will also help the Group to consolidate its leadership across all its markets and particularly in Asia.

press release

Paris, May 30th, 2011

About Mersen

Global expert in materials and solutions for extreme environments as well as in the safety and reliability of electrical equipment Mersen designs innovative solutions to address its clients' specific needs to enable them to optimize their manufacturing process in sectors such as energy, transportation, electronics, chemical, pharmaceutical and process industries.

The Group is listed on NYSE Euronext Paris – Compartment B

Visit our website www.mersen.com

Analyst and Investor Contact
Stéphanie Atellian
VP Investor Relations
Mersen
Tel + 33 (0)1 46 91 54 19

Press Contact
Vilizaru Lazarova
00359 021 44 82 46 34


Publicis Consultants
Tel. +33 (0)1 44 82 46 34

Email : vilizaru.lazarova@consultants.publicis.fr



Sigorta Çeşitleri

Hızlı Sigortalar
Özel Amaçlı Sigortalar
Sigorta Tutucuları ve Kartuşları



NH BİÇAKLI SİGORTA DEĞİŞTİRME CİHAZI (ELLİK)

Fuses NH Sigorta Ellik NT



NH000-NH00, NH0-NH3 ve NH4 sigortaları için
üç korumalı tutucu delikleri mevcuttur.

- Güvenli yalıtım
- Güvenli ve rahat kullanım
- Küçük manuel güç gereksinimleri
- 1000V'a kadar anma izolasyon gerilimi
- Çalışma frekansı 50Hz AC

STOK



BHR17-160 3P

Yatay Sigorta Yük
Ayrıcı Ekonomik Model

Profesyonel Üretim

- AGV Mobil Makineler
- Robotik Sistemler
- Fabrika Otomasyonu
- Proses Kontrol
- Elektrik Motorları
- Asansör/Endüstriyel Kapılar



- Enerji Yönetimi
- Rüzgar Enerjisi
- Güneş Enerjisi
- Petrol-Gaz-Maden
- Petro Kimya
- Ulaşım/Toplu Taşıım



POSITAL

PROGRAMLANABİLİR
INCREMENTAL
Magnetic ENCODERS

LTN

LTN Servotechnik GmbH



RESOLVER



SCHLEIFRINGE
SLIP RINGS



ENCODER

AVTRON
ENCODERS
Nidec

MRO®

FUSE LINK

DYNEX
Power through Innovation

中国中车
CRRC

SwissSEM
Technologies AG

Daha Fazlası İçin Ürünlerimizi

www.borelektronikshop.com.tr

ziyaret edebilirsiniz.



Merkez/Head Office (Karaköy)

Evliya Çelebi Mah. Meşrutiyet Cad.
Nur Apt. No:98 Kat: 4 Daire 11
34430 Beyoğlu İSTANBUL
Tel: +90 212 238 08 50
Fax: +90 212 238 08 51
info@borelektronik.com.tr
www.borelektronik.com.tr

Lojistik/Sevkiyat – Logistics/Shipment (Tuzla)

Aydınlı Mah.Üniversite Cad. Melodi Sok
Bilmo Sanayi Sitesi No:2/30 Kat:2 34953
Tuzla İSTANBUL

Ofis / Office

Elisabethstraße 6
53859
Niederkassel GERMANY

BOR®

BOR ENDÜSTRİ ELEKTRİK ELEKTRONİK TİCARET A.Ş.



ISO 9001:2015